

# BookletChart™




## Point Hope to Cape Dyer


NOAA Chart 16123

*A reduced-scale NOAA nautical chart for small boaters*

*When possible, use the full-size NOAA chart for navigation.*



- Complete, reduced-scale nautical chart
- Print at home for free
- Convenient size
- Up-to-date with Notices to Mariners
- Compiled by NOAA's Office of Coast Survey, the nation's chartmaker



**Published by the  
National Oceanic and Atmospheric Administration  
National Ocean Service  
Office of Coast Survey  
[www.NauticalCharts.NOAA.gov](http://www.NauticalCharts.NOAA.gov)  
888-990-NOAA**

**What are Nautical Charts?**

Nautical charts are a fundamental tool of marine navigation. They show water depths, obstructions, buoys, other aids to navigation, and much more. The information is shown in a way that promotes safe and efficient navigation. Chart carriage is mandatory on the commercial ships that carry America's commerce. They are also used on every Navy and Coast Guard ship, fishing and passenger vessels, and are widely carried by recreational boaters.

**What is a BookletChart™?**

This BookletChart is made to help recreational boaters locate themselves on the water. It has been reduced in scale for convenience, but otherwise contains all the information of the full-scale nautical chart. The bar scales have also been reduced, and are accurate when used to measure distances in this BookletChart. See the Note at the bottom of page 5 for the reduction in scale applied to this chart.


Whenever possible, use the official, full scale NOAA nautical chart for navigation. Nautical chart sales agents are listed on the Internet at <http://www.NauticalCharts.NOAA.gov>.

This BookletChart does NOT fulfill chart carriage requirements for regulated commercial vessels under Titles 33 and 44 of the Code of Federal Regulations.

**Notice to Mariners Correction Status**

This BookletChart has been updated for chart corrections published in the U.S. Coast Guard Local Notice to Mariners, the National Geospatial Intelligence Agency Weekly Notice to Mariners, and, where applicable, the Canadian Coast Guard Notice to Mariners. Additional chart corrections have been made by NOAA in advance of their publication in a Notice to Mariners. The last Notices to Mariners applied to this chart are listed in the Note at the bottom of page 7. Coast Pilot excerpts are not being corrected.

For latest Coast Pilot excerpt visit the Office of Coast Survey website at <http://www.nauticalcharts.noaa.gov/nsd/searchbychart.php?chart=16123>.



**(Selected Excerpts from Coast Pilot)**

**Marryat Inlet.** 10 miles ENE of Point Hope, is the entrance to a large inlet; a draft of 5 feet can be taken through the inlet but those not familiar with the channel should be cautious about entering. When the ice breaks in the inlet, there is a strong outflowing current and the moving ice is more or less dangerous. Depths off the inlet range from 1½ fathoms near shore to 3½ fathoms at a distance of 4 miles.

N of Marryat Inlet the mountains slope down to rugged shore cliffs. The few ravines in the cliffs have running streams with shore outlets where freshwater can be obtained.

**U.S. Coast Guard Rescue Coordination Center  
24 hour Regional Contact for Emergencies**

RCC Juneau      Commander  
17th CG District      (907) 463-2000  
Juneau, Alaska

# Table of Selected Chart Notes

Corrected through NM Sep. 11/04  
Corrected through LNM Aug. 24/04

## HEIGHTS

Heights in feet above Mean High Water.

Mercator Projection  
Scale 1:50,000 at Lat 30° 06'

North American Datum of 1983  
(World Geodetic System 1984)

SOUNDINGS IN FEET  
AT MEAN LOWER LOW WATER

## AIDS TO NAVIGATION

Consult U.S. Coast Guard Light List for supplemental information concerning aids to navigation.

## CAUTION

Temporary changes or defects in aids to navigation are not indicated on this chart. See Local Notice to Mariners.

## POLLUTION REPORTS

Report all spills of oil and hazardous substances to the National Response Center via 1-800-424-8802 (toll free), or to the nearest U.S. Coast Guard facility if telephone communication is impossible (33 CFR 153).

## NOTE A

Navigation regulations are published in Chapter 2, U.S. Coast Pilot 9. Additions or revisions to Chapter 2 are published in the Notices to Mariners. Information concerning the regulations may be obtained at the Office of the Commander, 17th Coast Guard District in Juneau, Alaska, or at the Office of the District Engineer, Corps of Engineers in Anchorage, Alaska.  
Refer to charted regulation section numbers.

## TIDES

The periodic tide has a mean range of about one-half foot.

## AUTHORITIES

Hydrography and topography by the National Ocean Service, Coast Survey, with additional data from the Corps of Engineers, Geological Survey, and U.S. Coast Guard.

## SOURCE DIAGRAM

The outlined areas represent the limits of the most recent hydrographic survey information that has been evaluated for charting. Surveys have been banded in this diagram by date and type of survey. Channels maintained by the U.S. Army Corps of Engineers are periodically resurveyed and are not shown on this diagram. Refer to Chapter 1, [United States Coast Pilot](#).

## HORIZONTAL DATUM

The horizontal reference datum of this chart is North American Datum of 1983 (NAD 83), which for charting purposes is considered equivalent to the World Geodetic System 1984 (WGS 84). Geographic positions referred to the North American Datum of 1927 must be corrected an average of 2.581" southward and 10.853" westward to agree with this chart.

## UPDATING SERVICE

FOR THIS CHART, a listing of NOTICE TO MARINERS (NM) corrections subsequent to the NM corrected through date shown in the lower left hand corner, is available from the Chief, Marine Chart Division (N/CS2), National Ocean Service, NOAA, Silver Spring, Maryland 20910-3282.

## WARNING

The prudent mariner will not rely solely on any single aid to navigation, particularly on floating aids. See U.S. Coast Guard Light List and U.S. Coast Pilot for details.

## COLREGS, 80.1705 (see note A)

International Regulations for Preventing Collisions at Sea, 1972. The entire area of this chart falls seaward of the COLREGS Demarcation Line.

## NOTE X

The 12 nautical mile territorial sea was established by Presidential Proclamation 5928, December 27, 1988, and is also the outer limit of the U.S. contiguous zone for the application of domestic law. The 3 nautical mile line, previously identified as the outer limit of the territorial sea, is retained because the proclamation states that it does not alter existing State or Federal law. The 9 nautical mile natural resources boundary off Texas, the Gulf coast of Florida, and Puerto Rico, and the 3 nautical mile line elsewhere remain the inner boundary of the Federal fisheries jurisdiction and the limit of states jurisdiction under the Submerged Lands Act (P.L. 83-31, 67 Stat. 29, March 22, 1953). These maritime limits are subject to modification, as represented on future charts. The lines shown on the most recent chart edition take precedence.

## ABBREVIATIONS (For complete list of Symbols and Abbreviations, see Chart No. 1.)

Aids to Navigation (lights are white unless otherwise indicated):

|                   |                          |                        |                    |
|-------------------|--------------------------|------------------------|--------------------|
| AERO aeronautical | G green                  | Mo morse code          | R TR radio tower   |
| A alternating     | IQ interrupted quick     | N run                  | Rot rotating       |
| B black           | Is isophase              | OBSC obscured          | s seconds          |
| Bn beacon         | LT lighthouse            | Oc occulting           | SEC sector         |
| C can             | M nautical mile          | Or orange              | St M statute miles |
| DIA diaphone      | m minutes                | Q quick                | VO very quick      |
| F fixed           | MICHO TR microwave tower | R red                  | W white            |
| Fl flashing       | Mkr marker               | Ra Ref radar reflector | WHIS whistle       |
|                   |                          | R Bn radiobeacon       | Y yellow           |

## Bottom characteristics:

|               |           |         |             |           |
|---------------|-----------|---------|-------------|-----------|
| Blds boulders | Co coral  | gy gray | Cys oysters | so soft   |
| bk broken     | G gravel  | h hard  | Rk rock     | Sh shells |
| Cy clay       | Grs grass | M mud   | S sand      | sy sticky |

## Miscellaneous:

|  |                         |                      |                |
|--|-------------------------|----------------------|----------------|
| AUTH authorized  | Obstm obstruction       | PD position doubtful | Subm submerged |
| ED existence doubtful  | PA position approximate | Rep reported         |                |
| ⚠ Wreck, rock, obstruction, or shoal swept clear to the depth indicated.         |                         |                      |                |
| (2) Rocks that cover and uncover, with heights in feet above datum of soundings. |                         |                      |                |

20' 15' 10' 05'

68° 40'

COLREGS, 80.1705 (see note A)  
International Regulations for Preventing Collisions at Sea, 1972.  
The entire area of this chart falls seaward of the COLREGS Demarcation Line.

**NOTE A**  
Navigation regulations are published in Chapter 2, U.S. Coast Pilot 9. Additions or revisions to Chapter 2 are published in the Notices to Mariners. Information concerning the regulations may be obtained at the Office of the Commander, 17th Coast Guard District in Juneau, Alaska, or at the Office of the District Engineer, Corps of Engineers in Anchorage, Alaska.  
Refer to charted regulation section numbers.

**POLLUTION REPORTS**  
Report all spills of oil and hazardous substances to the National Response Center via 1-800-424-8802 (toll free), or to the nearest U.S. Coast Guard facility if telephone communication is impossible (33 CFR 153).

**NOTE X**  
The 12 nautical mile territorial sea was established by Presidential Proclamation 5928, December 27, 1988, and is also the outer limit of the U.S. contiguous zone for the application of domestic law. The 3 nautical mile line, previously identified as the outer limit of the territorial sea, is retained because the proclamation states that it does not alter existing State or Federal law. The 9 nautical mile natural resources boundary off Texas, the Gulf coast of Florida, and Puerto Rico, and the 3 nautical mile line elsewhere remain the inner boundary of the Federal fisheries jurisdiction and the limit of states' jurisdiction under the Submerged Lands Act (P.L. 83-31; 67 Stat. 29, March 22, 1953). These maritime limits are subject to modification, as represented on future charts. The lines shown on the most recent chart edition take precedence.

**WARNING**  
The prudent mariner will not rely solely on any single aid to navigation, particularly on floating aids. See U.S. Coast Guard Light List and U.S. Coast Pilot for details.


**PRINT-ON-DEMAND CHARTS**  
NOAA and its partner, OceanGrafix, offer this chart updated weekly by NOAA for Notices to Mariners and critical corrections. Charts are printed when ordered using Print-on-Demand technology. New Editions are available 5-8 weeks before their release as traditional NOAA charts. Ask your chart agent about Print-on-Demand charts or contact NOAA at 1-800-584-4683, <http://NauticalCharts.gov>, [help@NauticalCharts.gov](mailto:help@NauticalCharts.gov), or OceanGrafix at 1-877-56CHART, <http://OceanGrafix.com>, or [help@OceanGrafix.com](mailto:help@OceanGrafix.com).

126


161

35'

144



**HORIZONTAL DATUM**  
The horizontal reference datum of this chart is North American Datum of 1983 (NAD 83), which for charting purposes is considered equivalent to the World Geodetic System 1984 (WGS 84). Geographic positions referred to the North American Datum of 1927 must be corrected an average of 2.581" southward and 10.853" westward to agree with this chart.




Joins page 8

Note: Chart grid lines are aligned with true north.

Printed at reduced scale.

SCALE 1:50,000  
Nautical Miles

See Note on page 5.



167° 55' 50' 45'



PROVISIONAL CHART  
 UNITED STATES  
 ALASKA - ARCTIC COAST

POINT HOPE TO CAPE DYER

Mercator Projection  
 Scale 1:50,000 at Lat 30° 06'

North American Datum of 1983  
 (World Geodetic System 1984)

SOUNDINGS IN FEET  
 AT MEAN LOWER LOW WATER

TIDES

The periodic tide has a mean range of about one-half foot.

Additional information can be obtained at [nauticalcharts.noaa.gov](http://nauticalcharts.noaa.gov).

ABBREVIATIONS (For complete list of Symbols and Abbreviations, see Chart No. 1.)  
 Aids to Navigation (lights are white unless otherwise indicated):

|                   |                          |                        |                    |
|-------------------|--------------------------|------------------------|--------------------|
| AERO aeronautical | G green                  | Mo morse code          | R TR radio tower   |
| Ai alternating    | IQ interrupted quick     | N nun                  | Rot rotating       |
| B black           | Iso isophase             | OBSC obscured          | s seconds          |
| Bn beacon         | LT HO lighthouse         | Oc occulting           | SEC sector         |
| C can             | M nautical mile          | Or orange              | St M statute miles |
| DIA diaphone      | m minutes                | Q quick                | VQ very quick      |
| F fixed           | MICRO TR microwave tower | R red                  | W white            |
| Fl flashing       | Mkr marker               | Ra Ref radar reflector | WHIS whistle       |
|                   |                          | R Bn radiobeacon       | Y yellow           |

Bottom characteristics:

|               |           |         |             |           |
|---------------|-----------|---------|-------------|-----------|
| Blds boulders | Co coral  | gy gray | Oys oysters | so soft   |
| bk broken     | G gravel  | h hard  | Rk rock     | Sh shells |
| Cy clay       | Grs grass | M mud   | S sand      | sy sticky |

Miscellaneous:

|                       |                         |                      |                |
|-----------------------|-------------------------|----------------------|----------------|
| AUTH authorized       | Cbsn obstruction        | PD position doubtful | Subm submerged |
| ED existence doubtful | PA position approximate | Rep reported         |                |

Wreck, rock, obstruction, or shoal swept clear to the depth indicated.  
 (2) Rocks that cover and uncover, with heights in feet above datum of soundings.

HEIGHTS

Heights in feet above Mean High Water.

AUTHORITIES

Hydrography and topography by the National Ocean Service, Coast Survey, with additional data from the Corps of Engineers, Geological Survey, and U.S. Coast Guard.

SUPPLEMENTAL INFORMATION



Consult U.S. Coast Pilot 9 for important supplemental information.

CAUTION

Temporary changes or defects in aids to navigation are not indicated on this chart. See Local Notice to Mariners.

AIDS TO NAVIGATION

Consult U.S. Coast Guard Light List for supplemental information concerning aids to navigation.



TERRITORIAL SEA AND CONTIGUOUS ZONE (see note X)

Joins page 6

Joins page 9

This BookletChart was reduced to 70% of the original chart scale. The new scale is 1:71429. Barscales have also been reduced and are accurate when used to measure distances in this BookletChart.



45'


40'

35'

30'

JOINS CHART 16122


120



SOURCE DIAGRAM

The outlined areas represent the limits of the most recent hydrographic survey information that has been evaluated for charting. Surveys have been banded in this diagram by date and type of survey. Channels maintained by the U.S. Army Corps of Engineers are periodically resurveyed and are not shown on this diagram. Refer to Chapter 1, United States Coast Pilot.

105




102

90

108

Joins page 5

77



96

102

Joins page 10




Note: Chart grid lines are aligned with true north.


Printed at reduced scale.

SCALE 1:50,000  
Nautical Miles

See Note on page 5.




# SOUNDINGS IN FEET



Joins page 11

This BookletChart has been updated through: Coast Guard Local Notice To Mariners: 4812 11/27/2012,  
NGA Weekly Notice to Mariners: 4812 12/1/2012,  
Canadian Coast Guard Notice to Mariners: 0912 9/28/2012.




Note: Chart grid lines are aligned with true north.

Printed at reduced scale.

SCALE 1:50,000  
Nautical Miles

See Note on page 5.



navigation are not indicated on  
Local Notice to Mariners.

# Joins page 5

AIDS TO NAVIGATION  
Consult U.S. Coast Guard Light List for  
supplemental information concerning aids to  
navigation.

96

102

C H U K C H I S E A

90

90

Joins page 10

60

78

54

80

78


114

36





54

Joins page 13




Note: Chart grid lines are aligned with true north.





Joins page 8



6th Ed., Sep./04 ■ Corrected through NM Sep. 11/04  
 Corrected through LNM Aug. 24/04

**16123**

**CAUTION**

This chart has been corrected from the Notice to Mariners (NM) published weekly by the National Geospatial-Intelligence Agency and the Local Notice to Mariners (LNM) issued periodically by each U.S. Coast Guard district to the dates shown in the lower left hand corner.

**UPDATING SERVICE**

FOR THIS CHART, a listing of NOTICE TO MARINERS (NM) corrections subsequent to the NM corrected through date shown in the lower left hand corner, is available from the Chief, Marine Chart Division (N/CS2), National Ocean Service, NOAA, Silver Spring, Maryland 20910-3282.


**12**


Note: Chart grid lines are aligned with true north.

Printed at reduced scale.

SCALE 1:50,000  
Nautical Miles

See Note on page 5.





SOUNDINGS IN FEET

Published at Washington, D.C.  
 U.S. DEPARTMENT OF COMMERCE  
 NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
 NATIONAL OCEAN SERVICE  
 COAST SURVEY

60

20

THREE NAUTICAL MILE LINE (see note X)

36

### MARRYAT INLET

Joins page 13

CHURCH MISSION

BEACON HILL

Fl 6s 64ft 6M

45'

40'

35'

30'

Published at Washington, D.C.  
U.S. DEPARTMENT OF COMMERCE  
NAUTIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEAN SERVICE  
COAST SURVEY

This nautical chart has been designed to promote safe navigation. The National Ocean Service encourages users to submit corrections, additions, or comments for improving this chart to the Chief, Marine Chart Division (N/CS2), National Ocean Service, NOAA, Silver Spring, Maryland 20910-3282.


# 14


Note: Chart grid lines are aligned with true north.

Printed at reduced scale.

SCALE 1:50,000  
Nautical Miles

See Note on page 5.





ED. NO. 6

NSN 7642014011352  
 NGA REFERENCE NO. 16XHA16123

16123

Point Hope to Cape Dyer  
 SOUNDINGS IN FEET - SCALE 1:50,000

|         |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |
|---------|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| FATHOMS | 1 | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17  |
| FEET    | 6 | 12 | 18 | 24 | 30 | 36 | 42 | 48 | 54 | 60 | 66 | 72 | 78 | 84 | 90 | 96 | 102 |
| METERS  | 1 | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17  |



EMERGENCY INFORMATION

### VHF Marine Radio channels for use on the waterways:

**Channel 6** – Inter-ship safety communications.

**Channel 9** – Communications between boats and ship-to-coast.

**Channel 13** – Navigation purposes at bridges, locks, and harbors.

**Channel 16** – Emergency, distress and safety calls to Coast Guard and others, and to initiate calls to other vessels. Contact the other vessel, agree to another channel, and then switch.

**Channel 22A** – Calls between the Coast Guard and the public. Severe weather warnings, hazards to navigation and safety warnings are broadcast here.

**Channels 68, 69, 71, 72 and 78A** – Recreational boat channels.

**Getting and Giving Help** – Signal other boaters using visual distress signals (flares, orange flag, lights, arm signals); whistles; horns; and on your VHF radio. You are required by law to help boaters in trouble. Respond to distress signals, but do not endanger yourself.

### Distress Call Procedures

- Make sure radio is on.
- Select Channel 16.
- Press/Hold the transmit button.
- Clearly say: "MAYDAY, MAYDAY, MAYDAY."
- Also give: Vessel Name and/or Description; Position and/or Location; Nature of Emergency; Number of People on Board.
- Release transmit button.
- Wait for 10 seconds — If no response Repeat MAYDAY call.

**HAVE ALL PERSONS PUT ON LIFE JACKETS!**



**NOAA Weather Radio All Hazards (NWR)** is a nationwide network of radio stations broadcasting continuous weather information directly from the nearest National Weather Service office. NWR broadcasts official Weather Service warnings, watches, forecasts and other hazard information 24 hours a day, 7 days a week.

<http://www.nws.noaa.gov/nwr/>

### Quick References

- Nautical chart related products and information — <http://www.nauticalcharts.noaa.gov>
- Online chart viewer — <http://www.nauticalcharts.noaa.gov/mcd/NOAChartViewer.html>
- Report a chart discrepancy — <http://ocsddata.ncd.noaa.gov/idrs/discrepancy.aspx>
- Chart and chart related inquiries and comments — <http://ocsddata.ncd.noaa.gov/idrs/inquiry.aspx?frompage=ContactUs>
- Chart updates (LNM and NM corrections) — [http://www.nauticalcharts.noaa.gov/mcd/updates/LNM\\_NM.html](http://www.nauticalcharts.noaa.gov/mcd/updates/LNM_NM.html)
- Coast Pilot online — <http://www.nauticalcharts.noaa.gov/nsd/cpdownload.htm>
- Tides and Currents — <http://tidesandcurrents.noaa.gov>
- Marine Forecasts — <http://www.nws.noaa.gov/om/marine/home.htm>
- National Data Buoy Center — <http://www.ndbc.noaa.gov/>
- NowCoast web portal for coastal conditions — <http://www.nowcoast.noaa.gov/>
- National Weather Service — <http://www.weather.gov/>
- National Hurricane Center — <http://www.nhc.noaa.gov/>
- Pacific Tsunami Warning Center — <http://ptwc.weather.gov/>
- Contact Us — <http://www.nauticalcharts.noaa.gov/staff/contact.htm>



— For the latest news from Coast Survey, follow @nauticalcharts



This Booklet chart has been designed for duplex printing (printed on front and back of one sheet). If a duplex option is not available on your printer, you may print each sheet and arrange them back-to-back to allow for the proper layout when viewing.

