

# BookletChart™



## Midway Islands

NOAA Chart 19482

*A reduced-scale NOAA nautical chart for small boaters*

*When possible, use the full-size NOAA chart for navigation.*


Kure Atoll

- Midway Islands
- Pearl and Hermes

Included Area

Lisianski

- Complete, reduced-scale nautical chart
- Print at home for free
- Convenient size
- Up-to-date with Notices to Mariners
- Compiled by NOAA's Office of Coast Survey, the nation's chartmaker



**Published by the  
National Oceanic and Atmospheric Administration  
National Ocean Service  
Office of Coast Survey  
[www.NauticalCharts.NOAA.gov](http://www.NauticalCharts.NOAA.gov)  
888-990-NOAA**

**What are Nautical Charts?**

Nautical charts are a fundamental tool of marine navigation. They show water depths, obstructions, buoys, other aids to navigation, and much more. The information is shown in a way that promotes safe and efficient navigation. Chart carriage is mandatory on the commercial ships that carry America's commerce. They are also used on every Navy and Coast Guard ship, fishing and passenger vessels, and are widely carried by recreational boaters.

**What is a BookletChart™?**

This BookletChart is made to help recreational boaters locate themselves on the water. It has been reduced in scale for convenience, but otherwise contains all the information of the full-scale nautical chart. The bar scales have also been reduced, and are accurate when used to measure distances in this BookletChart. See the Note at the bottom of page 5 for the reduction in scale applied to this chart.


Whenever possible, use the official, full scale NOAA nautical chart for navigation. Nautical chart sales agents are listed on the Internet at <http://www.NauticalCharts.NOAA.gov>.

This BookletChart does NOT fulfill chart carriage requirements for regulated commercial vessels under Titles 33 and 44 of the Code of Federal Regulations.

**Notice to Mariners Correction Status**

This BookletChart has been updated for chart corrections published in the U.S. Coast Guard Local Notice to Mariners, the National Geospatial Intelligence Agency Weekly Notice to Mariners, and, where applicable, the Canadian Coast Guard Notice to Mariners. Additional chart corrections have been made by NOAA in advance of their publication in a Notice to Mariners. The last Notices to Mariners applied to this chart are listed in the Note at the bottom of page 7. Coast Pilot excerpts are not being corrected.

For latest Coast Pilot excerpt visit the Office of Coast Survey website at <http://www.nauticalcharts.noaa.gov/nsd/searchbychart.php?chart=19482>.



**(Selected Excerpts from Coast Pilot)**  
**Midway Islands** are 1,150 miles WNW of Honolulu. The circular atoll is 6 miles in diameter and encloses two islands. The coral reef does not completely enclose the lagoon; there is a natural opening on the W side, and another opening has been dredged on the S side. The reef rises abruptly from deep water and there are no off-lying rocks or shoals; breakers mark all seaward sides of the reef. The enclosed islands average 12 feet high with a maximum height of 45 feet. Numerous birds, especially albatross, nest on the islands and are sometimes a hazard to landing or departing airplanes.

The Midway Islands, not part of the State of Hawaii, are under the administration of the Department of the Interior **Midway Atoll National Wildlife Refuge** established by Executive Order No. 13022 of October 31, 1996. Copies of the Executive Order directing the **Management and General Public Use** of the National Wildlife Refuge System can be obtained from Refuge Manager, Hawai'ian/Pacific Islands National Wildlife Refuge Complex, U.S. Fish and Wildlife Service, 300 Ala Moana Boulevard, P.O. Box 50167, Honolulu, HI 96850.

Requests for emergency entry of vessels in distress should be made by any means possible to the Joint Rescue Coordination Center (JRCC), Honolulu, Hawaii (808-535-3333). JRCC will then obtain entry approval or denial from USFWS Refuge Manager and respond to the requester. Non-emergency entry requests must be approved in advance by contacting the USFWS Refuge Manager. Additionally, the Midway harbormaster can be reached by VHF-FM radio channel 16.

**Eastern Island**, at the SE end of the atoll, is triangular in shape, about 1.2 miles long, and 6 to 12 feet high.

**Sand Island**, on the S side of the atoll, is about 2 miles long in a SW direction and is composed of white coral sand. Prominent from offshore are the towers, tanks, and radio masts of the naval installations and a group of trees on the N side of the island. An aerolight is on top of the tallest tank in the N central part of the island.

**Welles Harbor** is the area inside the gap in the barrier reef on the W side of the atoll. The harbor was formerly used to a considerable extent as an anchorage by ships calling at Midway, but since the dredging of the ship channel and harbor between Sand and Eastern Islands, Welles Harbor is little used. Navigation in this area should not be attempted.

**Channels.**—Marked dredged channels through the S reef lead to deepwater basins on the E and NE sides of Sand Island, and to a small-craft basin on the W side of Eastern Island. The entrance channel is marked by a lighted buoy, unlighted buoys, and a **359.5°** lighted range. (Consult the United States Fish and Wildlife Service, Notice to Mariners, and latest editions of charts for controlling depths.)

**Anchorage.**—The established anchorage area is NE of Sand Island. Outside anchorage is available in depths of 15 to 25 fathoms E of the main channel sea buoy; this anchorage is fair during NE winds, but should not be attempted during winds from other quadrants. Anchorage S of Sand Island is prohibited to avoid possible fouling of the San Francisco-Honolulu-Midway- Guam-Manila cable.

**Currents.**—The current off the main entrance channel usually sets W with a velocity of about 2 knots. Within the channels, the current changes direction with velocities of 2 to 8 knots, depending on the weather; extreme caution is necessary to avoid being carried outside the channel limits. It is reported that during heavy gales Welles Harbor is full of strong currents caused by the sea forced over the reefs.

**Pilotage, Midway Islands.**—Vessels required by law to have a licensed master should consult the Captain of the Port, Honolulu (808-842-2640) to determine specific pilotage requirements. Pilots are not required for public vessels of the United States.

**Harbor facilities.**—Two deepwater piers are on the NE side, and one smaller pier is in the inner harbor on the E side of Sand Island; a small-craft pier is on the W side of Eastern Island. Provisions, jet fuel (JP-5), and water are not available for commercial use, except in case of emergency. Limited emergency repairs can be made to vessels, but there are no drydocking facilities. Tugs are available; there is a 20-ton mobile crane for use in emergencies.

**U.S. Coast Guard Rescue Coordination Center  
24 hour Regional Contact for Emergencies**

RCC Honolulu      Commander  
14th CG District      (808) 535-3333  
Honolulu, HI

# Table of Selected Chart Notes

Corrected through NM Dec. 18/10  
Corrected through LNM Dec. 07/10

**HEIGHTS**  
Heights in feet above Mean High Water.

**Mercator Projection**  
Scale 1:10,000 at Lat. 28°13'  
**World Geodetic System 1984**  
(North American Datum of 1983)  
**SOUNDINGS IN FEET**  
AT MEAN LOWER LOW WATER

**AIDS TO NAVIGATION**  
Consult U.S. Coast Guard Light List for supplemental information concerning aids to navigation.

**POLLUTION REPORTS**  
Report all spills of oil and hazardous substances to the National Response Center via 1-800-424-8802 (toll free), or to the nearest U.S. Coast Guard facility if telephone communication is impossible (33 CFR 153).

**CAUTION**  
Limitations on the use of radio signals as aids to marine navigation can be found in the U.S. Coast Guard Light Lists and National Geospatial-Intelligence Agency Publication 117.  
Radio direction-finder bearings to commercial broadcasting stations are subject to error and should be used with caution.  
Station positions are shown thus:  
○ (Accurate location) ◌ (Approximate location)

**CAUTION**  
**SUBMARINE PIPELINES AND CABLES**  
Charted submarine pipelines and submarine cables and submarine pipeline and cable areas



Additional uncharted submarine pipelines and submarine cables may exist within the area of this chart. Not all submarine pipelines and submarine cables are required to be buried, and those that were originally buried may have become exposed. Mariners should use extreme caution when operating vessels in depths of water comparable to their draft in areas where pipelines and cables may exist, and when anchoring, dragging, or trawling.  
Covered wells may be marked by lighted or unlighted buoys.

**CAUTION**  
Improved channels shown by broken lines are subject to shoaling, particularly at the edges.  
Numerous coral heads, in addition to those shown, exist outside of the dredged area.

**PAPAHĀNAUMOKUĀKEA MARINE NATIONAL MONUMENT**  
The entire area of this chart lies within the boundaries of the Papahānaumokuākea Marine National Monument and the Midway Atoll Special Management Area. These are protected areas. See 50 CFR 404 or Chapter 2, U.S. Coast Pilot 7.

**CAUTION**  
Temporary changes or defects in aids to navigation are not indicated on this chart. See Local Notice to Mariners.

For Symbols and Abbreviations see Chart No. 1

**WARNING**  
The prudent mariner will not rely solely on any single aid to navigation, particularly on floating aids. See U.S. Coast Guard Light List and U.S. Coast Pilot for details.

**AUTHORITIES**  
Hydrography and topography by the National Ocean Service, Coast Survey, with additional data from the U.S. Coast Guard, and National Geospatial-Intelligence Agency.

**NOTE B**  
**AREA TO BE AVOIDED**  
All vessels solely in transit should avoid the area (MSC IMO SN.1/Circ.263).

**NOTE A**  
Navigation regulations are published in Chapter 2, U.S. Coast Pilot 7. Additions or revisions to Chapter 2 are published in the Notice to Mariners. Information concerning the regulations may be obtained at the Office of the Commander, 14th Coast Guard District in Honolulu, Hawaii or at the Office of the District Engineer, Corps of Engineers in Honolulu, Hawaii.  
Refer to charted regulation section numbers.

**PARTICULARLY SENSITIVE SEA AREA**  
This chart falls entirely within the limits of a Particularly Sensitive Sea Area (PSSA). A PSSA is an environmentally sensitive area in which and around which mariners should exercise extreme caution. See U.S. Coast Pilot volumes for information regarding this area.

**NOTE C**  
**SHIP REPORTING SYSTEM**  
The following vessels entering or departing any U.S. port of place and in transit through the reporting area are required to report into the System: all vessels 300 gross tons or greater and all vessels in the event of a developing emergency. The following vessels in transit through the reporting area should report into the System: all vessels 300 gross tons or greater, fishing vessels, and all vessels in the event of a developing emergency. See IMO SN.1, Circ. 273. Information concerning the Ship Reporting System is also published in the U.S. Coast Pilot 7, Chapters 2 and 14, and updated through Notices to Mariners. Information may also be obtained at the Office of the Commander, 14th Coast Guard District in Honolulu, or at the Office of the District Engineer, Corps of Engineers, in Honolulu.

**SOURCE DIAGRAM**  
The outlined areas represent the limits of the most recent hydrographic survey information that has been evaluated for charting. Surveys have been banded in this diagram by date and type of survey. Channels maintained by the U.S. Army Corps of Engineers are periodically resurveyed and are not shown on this diagram. Refer to Chapter 1, United States Coast Pilot.

**COLREGS, 80.1410 (see note A)**  
International Regulations for Preventing Collisions at Sea, 1972.  
The entire area of this chart falls seaward of the COLREGS Demarcation Line.

**TIDAL INFORMATION**

PLACE	Height referred to datum of soundings (MLLW)	Height referred to datum of soundings (MLLW)		
		Mean Higher High Water	Mean High Water	Mean Low Water
NAME (LAT/LONG)	feet	feet	feet	feet
Midway Islands (28°13'N/177°22'W)	1.2	1.0	0.2	


Dashes (- - -) located in datum columns indicate unavailable datum values for a tide station. Real-time water levels, tide predictions, and tidal current predictions are available on the Internet from <http://tidesandcurrents.noaa.gov>. (Nov 2010)

19482

177° 25'

28° 15'

14'




4

Note: Chart grid lines are aligned with true north.

Printed at reduced scale. — SCALE 1:10,000 —


See Note on page 5.





23'

CONTINUED ON CHART 19481



Joins page 5


Joins page 12




Note: Chart grid lines are aligned with true north.

Printed at reduced scale. — SCALE 1:10,000 —

See Note on page 5.





Joins page 8

Joins page 13



SCALE 1:10,000

Nautical Miles

Statute Miles

Yards

Meters

SHIP REPORTING SYSTEM AREA  
(see note C)

AREA TO BE AVOIDED  
(see note B)

Joins page 7

Joins page 14



Note: Chart grid lines are aligned with true north.

Printed at reduced scale. —SCALE 1:10,000—


See Note on page 5.


Nautical Miles

Yards

200 0 200 400 600 800 1000 1200

# SOUNDINGS IN FEET







**10**


Note: Chart grid lines are aligned with true north.

Printed at reduced scale. —SCALE 1:10,000—  
Nautical Miles

See Note on page 5.








**12**

Note: Chart grid lines are aligned with true north.

Printed at reduced scale. — SCALE 1:10,000 —

See Note on page 5.











Joins page 10



SOURCE			
B3	1940-1969	NOS Surveys US Government Surveys	partial bottom coverage



**SOURCE DIAGRAM**  
 The outlined areas represent the limits of the most recent hydrographic survey information that has been evaluated for charting. Surveys have been banded in this diagram by date and type of survey. Channels maintained by the U. S. Army Corps of Engineers are periodically resurveyed and are not shown on this diagram. Refer to Chapter 1, United States Coast Pilot.

**LOGARITHMIC SPEED SCALE**  
 To find SPEED, place one point of dividers on distance run (in any unit) and the other on minutes run. With right point on 60 and left point will then indicate speed in units per hour. Example: with 4.0 nautical miles run in 1

10th Ed., Dec. / 10 ■ Corrected through NM Dec. 18/10  
 Corrected through LNM Dec. 07/10

**19482**

**CAUTION**

This chart has been corrected from the Notice to Mariners (NM) published weekly by the National Geospatial-Intelligence Agency and the Local Notice to Mariners (LNM) issued periodically by each U.S. Coast Guard district to the dates shown in the lower left hand corner. Chart updates corrected from Notice to Mariners published after the dates shown in the lower left hand corner are available at [nauticalcharts.noaa.gov](http://nauticalcharts.noaa.gov).


This nautical chart has been designed to promote safe navigation. The U.S. Coast Guard encourages users to submit corrections, additionally improving this chart to the Chief, Marine Chart Division (N/C Service, NOAA, Silver Spring, Maryland 20910-3282.


**16**

Note: Chart grid lines are aligned with true north.

Printed at reduced scale. — SCALE 1:10,000 —

See Note on page 5.





## SOUNDINGS IN FEET

navigation. The National  
tions, or comments for  
(CS2), National Ocean

Joins page 12

# SAND ISLAND

Approximate elevation 12 feet

○ Tower

⊙ AERO  
R Bn 400

Frigate Point

Joins page 17

RESTRICTED ANCHORAGE AREA

West Limit of Dumping Ground  
(Discontinued)

Cable Area

23'

CONTINUED ON CHART 19481

## DINGS IN FEET

Published at Wash  
U.S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEANIC SURVEY  
COAST SURVEY


# 18

Note: Chart grid lines are aligned with true north.

Printed at reduced scale. — SCALE 1:10,000 —


See Note on page 5.





Washington, D.C.  
 DEPARTMENT OF COMMERCE  
 NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
 COAST AND GEODETIC SURVEY

PRINT-ON-DEMAND CHARTS  
 NOAA and its partner, OceanGrafix, offer this chart updated weekly by NOAA for Notices to Mariners and critical corrections. Charts are printed when ordered using Print-on-Demand technology. New Editions are available 2-3 weeks before their release as traditional NOAA charts. Ask your chart agent about Print-on-Demand charts or contact NOAA at <http://ocedata.nce.noaa.gov/idrs/inquiry.aspx>, or OceanGrafix at 1-877-56CHART or <http://www.oceangrafix.com>.



Joins page 19

Joins page 14

35 FEET FOR MID WIDTH OF 400 FEET AUG 2003

36 FEET AUG 2003

AREA TO BE AVOIDED  
(see note B) 95

Dumping Ground  
(Discontinued)

PROHIBITED ANCHORAGE AREA

PRINT-ON-DEMAND CHARTS


NOAA and its partner, OceanGrafix, offer this chart updated weekly by NOAA for Notices to Mariners and critical corrections. Charts are printed when ordered using Print-on-Demand technology. New Editions are available 2-8 weeks before their release as traditional NOAA charts. Ask your chart agent about Print-on-Demand charts or contact NOAA at <http://ocsddata.ncd.noaa.gov/ids/inquiry.aspx>, or OceanGrafix at 1-877-58CHART or <http://www.oceangrafix.com>.

FATHOM
FEET
METER



Note: Chart grid lines are aligned with true north.


Printed at reduced scale. — SCALE 1:10,000 — See Note on page 5.



Joins page 15

# EASTERN ISLAND

Approximate elevation 12 feet



THE NATION'S CHARTMAKER SINCE 1807

UNITED STATES

HAWAI'IAN ISLANDS

# MIDWAY ISLANDS

Mercator Projection  
 Scale 1:10,000 at Lat. 28°13'  
 World Geodetic System 1984  
 (North American Datum of 1983)

SOUNDINGS IN FEET  
 AT MEAN LOWER LOW WATER

Additional information can be obtained at [nauticalcharts.noaa.gov](http://nauticalcharts.noaa.gov).

For Symbols and Abbreviations see Chart No. 1

HEIGHTS  
 Heights in feet above Mean High Water.

TIDAL INFORMATION

PLACE	NAME (LAT/LONG)	Height referred to datum of soundings (MLLW)		
		Mean Higher High Water	Mean High Water	Mean Low Water
Midway Islands	(28°13'N/177°22'W)	1.2 feet	1.0 feet	0.2 feet

Dashes (- -) located in datum columns indicate unavailable datum values for a tide station. Real-time water levels, tide predictions, and tidal current predictions are available on the Internet from <http://tidesandcurrents.noaa.gov>.

(Nov 2010)

NOTE C  
 SHIP REPORTING SYSTEM

The following vessels entering or departing any U.S. port of place and in transit through the reporting area are required to report into the System: all vessels 300 gross tons or greater and all vessels in the event of a developing emergency. The following vessels in transit through the reporting area should report into the System: all vessels 300 gross tons or greater, fishing vessels, and all vessels in the event of a developing emergency. See IMO SN.1, Circ. 273. Information concerning the Ship Reporting System is also published in the U.S. Coast Pilot 7, Chapters 2 and 14, and updated through Notices to Mariners. Information may also be obtained at the Office of the Commander, 14th Coast Guard District in Honolulu, or at the Office of the District Engineer, Corps of Engineers, in Honolulu.

PARTICULARLY SENSITIVE SEA AREA

This chart falls entirely within the limits of a Particularly Sensitive Sea Area (PSSA). A PSSA is an environmentally sensitive area in which and around which mariners should exercise extreme caution. See U.S. Coast Pilot volumes for information regarding this area.

NOTE B  
 AREA TO BE AVOIDED

All vessels solely in transit should avoid the area (MSC IMO SN.1/Circ.263).

PAPAHĀNAUMOKUĀKEA  
 MARINE NATIONAL MONUMENT

The entire area of this chart lies within the boundaries of the Papahānaumokuākea Marine National Monument and the Midway Atoll Special Management Area. These are protected areas. See 50 CFR 404 or Chapter 2, U.S. Coast Pilot 7.

AUTHORITIES

Hydrography and topography by the National Ocean Service, Coast Survey, with additional data from the U.S. Coast Guard, and National Geospatial-Intelligence Agency.

28°  
12'

20'

177°19'


779.0 X 1145.0 mm

DMS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
T	6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102
RS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

Midway Islands  
 SOUNDINGS IN FEET - SCALE 1:10,000

19482





EMERGENCY INFORMATION

### VHF Marine Radio channels for use on the waterways:

**Channel 6** – Inter-ship safety communications.

**Channel 9** – Communications between boats and ship-to-coast.

**Channel 13** – Navigation purposes at bridges, locks, and harbors.

**Channel 16** – Emergency, distress and safety calls to Coast Guard and others, and to initiate calls to other vessels. Contact the other vessel, agree to another channel, and then switch.

**Channel 22A** – Calls between the Coast Guard and the public. Severe weather warnings, hazards to navigation and safety warnings are broadcast here.

**Channels 68, 69, 71, 72 and 78A** – Recreational boat channels.

**Getting and Giving Help** — Signal other boaters using visual distress signals (flares, orange flag, lights, arm signals); whistles; horns; and on your VHF radio. You are required by law to help boaters in trouble. Respond to distress signals, but do not endanger yourself.

### Distress Call Procedures

- Make sure radio is on.
- Select Channel 16.
- Press/Hold the transmit button.
- Clearly say: "MAYDAY, MAYDAY, MAYDAY."
- Also give: Vessel Name and/or Description; Position and/or Location; Nature of Emergency; Number of People on Board.
- Release transmit button.
- Wait for 10 seconds — If no response Repeat MAYDAY call.

**HAVE ALL PERSONS PUT ON LIFE JACKETS!**



**NOAA Weather Radio All Hazards (NWR)** is a nationwide network of radio stations broadcasting continuous weather information directly from the nearest National Weather Service office. NWR broadcasts official Weather Service warnings, watches, forecasts and other hazard information 24 hours a day, 7 days a week.

<http://www.nws.noaa.gov/nwr/>

### Quick References

- Nautical chart related products and information — <http://www.nauticalcharts.noaa.gov>
- Online chart viewer — <http://www.nauticalcharts.noaa.gov/mcd/NOAChartViewer.html>
- Report a chart discrepancy — <http://ocsddata.ncd.noaa.gov/idrs/discrepancy.aspx>
- Chart and chart related inquiries and comments — <http://ocsddata.ncd.noaa.gov/idrs/inquiry.aspx?frompage=ContactUs>
- Chart updates (LNM and NM corrections) — [http://www.nauticalcharts.noaa.gov/mcd/updates/LNM\\_NM.html](http://www.nauticalcharts.noaa.gov/mcd/updates/LNM_NM.html)
- Coast Pilot online — <http://www.nauticalcharts.noaa.gov/nsd/cpdownload.htm>
- Tides and Currents — <http://tidesandcurrents.noaa.gov>
- Marine Forecasts — <http://www.nws.noaa.gov/om/marine/home.htm>
- National Data Buoy Center — <http://www.ndbc.noaa.gov/>
- NowCoast web portal for coastal conditions — <http://www.nowcoast.noaa.gov/>
- National Weather Service — <http://www.weather.gov/>
- National Hurricane Center — <http://www.nhc.noaa.gov/>
- Pacific Tsunami Warning Center — <http://ptwc.weather.gov/>
- Contact Us — <http://www.nauticalcharts.noaa.gov/staff/contact.htm>



— For the latest news from Coast Survey, follow @nauticalcharts



This Booklet chart has been designed for duplex printing (printed on front and back of one sheet). If a duplex option is not available on your printer, you may print each sheet and arrange them back-to-back to allow for the proper layout when viewing.

